



שם המרצה: פרופ' אילנית חסון-אווזיון

שם הקורס: **תיאוריות ושיטות טיפול בשיקום פסיכיאטרי**

קוד קורס: **60-885-01**

סוג הקורס: **בחירה**

היקף שעות: **2 ש"ט** סמסטר: **ב'** שנת לימודים: **תשע"ט**

**א. מטרות הקורס:**

הכרת עולם והוכן של שיקום פסיכיאטרי והקנייה של כישורים פסיכולוגיים לעובדה בתחום.

**ב. תיאור הקורס:**

הקורס עוסק בשינויים בתפיסה מחלות נפש בשנים האחרונות, בהיבטים יהודים בהתמודדות עם מחלות נפש ובמודלים טיפוליים שונים במסגרת של שיקום פסיכיאטרי.

**ג. דרישות קדם:**

- תואר ראשון בפסיכולוגיה.
- לימודי באחת מהמגמות הקליניות.

**ד. חובות / דרישות / מטלות:** נוכחות, השתתפות אקטיבית בשיעורים, קריאה, עבודה סיום.

**ה. מרכיבי הציון הסופי :** השתתפות ועבודה מסכמת.

**ו. רשימת קריאה:**

1. מבוא לשיקום פסיכיאטרי: מושג ההחלמה ועקרונות בסיסיים

\*רואה, ד., צ'ופרה, מ., חסון-אווזיון, א., שור, ש., לכמן, מ., ורודניק, א. (2005). התפתחויות מחקריות והמשגheiten באשר להפרעות נפשיות קשות והשלכותיהן על תחום השיקום הפסיכיאטרי. חברה ורוחה, כה, 2, 207-222.

Corrigan, P. W. (2003). Towards an integrated, structural model of psychiatric rehabilitation. *Psychiatric Rehabilitation Journal*, 26(4), 346



Silverstein, S. M., & Bellack, A. S. (2008). A scientific agenda for the concept of recovery as it applies to schizophrenia. *Clinical psychology review*, 28(7), 1108-1124.

2. תיאורי מחלת ונרטיבות בשיקום פסיכיאטרי - תפיסות מחלת שונות

Chadwick, P. K. (2007). Peer-professional first-person account: schizophrenia from the inside-phenomenology and the integration of causes and meanings. *Schizophrenia Bulletin*, 33(1), 166-173.

Deegan, G. (2003). Discovering recovery. *Psychiatric rehabilitation journal*, 26(4), 368

3. תובנה, סטיגמה וסטיגמה עצמית במחלות נפש

Corrigan, P. W., & Rao, D. (2012). On the self-stigma of mental illness: Stages, disclosure, and strategies for change. *The Canadian Journal of Psychiatry*, 57(8), 464-469.

Osatuke, K., Ciesla, J., Kasckow, J. W., Zisook, S., & Mohamed, S. (2008). Insight in schizophrenia: a review of etiological models and supporting research. *Comprehensive Psychiatry*, 49(1), 70

Lysaker, P. H., Roe, D., & Yanos, P. T. (2007). Toward understanding the insight paradox: internalized stigma moderates the association between insight and social functioning, hope, and self-esteem among people with schizophrenia spectrum disorders. *Schizophrenia Bulletin*, 33(1), 192-199



.4. מחלות נפש והמשפחה

Van der Sanden, R. L., Stutterheim, S. E., Pryor, J. B., Kok, G., & Bos, A. E. (2014). Coping with stigma by association and family burden among family members of people with mental illness. *The Journal of nervous and mental disease*, 202(10), .710-717

Levy-Frank, I., Hasson-Ohayon, I., Kravetz, S & Roe, D. (2011). Family Psychoeducation and Therapeutic Alliance Focused Interventions for Parents of a Daughter or Son with a Severe Mental Illness, *Psychiatry Research* 189 (2), 173-.179

Hasson-Ohayon, I., Pijnenborg, G. H. M., Ben-Pazi, A., Taitel, S., & Goldzweig, G. (2016). Coping with information style and family burden: Possible roles of self-stigma and hope among parents of children in a psychiatric inpatient unit. *European Psychiatry*

.4. התרבות פסיכחברתית

Mueser, K. T., Meyer, P. S., Penn, D. L., Clancy, R., Clancy, D. M., & Salyers, M. P. (2006). The illness management and recovery program: Rationale, development, and preliminary findings. *Schizophrenia bulletin*, 32(suppl 1), S32-S43

Combs, D. R., Adams, S. D., Penn, D. L., Roberts, D., Tiegreen, J., & Stem, P. (2007). Social cognition and interaction training (SCIT) for inpatients with schizophrenia spectrum disorders: Preliminary findings. *Schizophrenia Research*, 91(1-3), 112-.116

Yanos, P.T, Roe, D. & Lysaker, P.H. (2011) Narrative Enhancement and Cognitive Therapy: A New Group-Based Treatment for Internalized Stigma among Persons with Severe Mental Illness. *International Journal of Group Psychotherapy*, 61: 577-.595



5. פסיכותרפיה: מודל CBT

Hasson-Ohayon, I., Roe, D., & Freedman, S. (2011). Cognitive Behavioral Therapy for persons coping with Schizophrenia. In S. Marom, E. Gilboa-Schechtman, N. Mor & J. Mayers (Eds.), *Cognitive behavioural therapy for adults: An integrative approach* (pp. 197-214). Israel: Probook. (in Hebrew)

6. פסיכותרפיה: מודלים אינטגרטיביים עצשוויים

Hamm, J.A., Hasson-Ohayon, I., Kukla, M., & Lysaker, P.H. (2013). Individual psychotherapy for schizophrenia: Developments and trends in the wake of the recovery movement. *Psychology Research and Behavior Management*, 6, 45-54

Hasson-Ohayon, I. (2012). Integrating cognitive behavioral-based therapy with an intersubjective approach: Addressing metacognitive deficits among people with schizophrenia. *Journal of Psychotherapy Integration*, 22(4), 356

Lysaker, P., Buck, K.D., Leonhardt, B., Buck, B., Hamm, J., Hasson-Ohayon, I., and Dimaggio, G. (2014). Metacognitively Focused Psychotherapy for Persons with Schizophrenia: Eight Core Elements that Define Practice. In Lysaker, P., Dimaggio, G., & Brüne, M. (Eds.). *Social cognition and metacognition in schizophrenia: Psychopathology and treatment approaches*. Elsevier

8. פסיכותרפיה – אתגרים

Priebe, S., & McCabe, R. (2008). Therapeutic relationships in psychiatry: the basis of therapy or therapy in itself?. *International Review of Psychiatry*, 20(6), 521-526

Laugharne, R., Priebe, S., McCabe, R., Garland, N., & Clifford, D. (2012). Trust, choice and power in mental health care: Experiences of patients with psychosis. *International Journal of Social Psychiatry*, 58(5), 496-504

Hasson-Ohayon, I., Kravetz, S., Lysaker, P. (2016). The special challenges of psychotherapy with persons with psychosis: intersubjective metacognitive model of agreement and shared meaning. *Clinical Psychology and Psychotherapy*